

Proceedings of the District Collector Perambalur

Present : Tmt. P. Sri Venkata Priya, I.A.S.,

D.Dis/D1/6282/2019

Date : 21.04.2021.


Sub: Buildings - Tamil Nadu Public Buildings Licensing Act 1965 - list of Registered Panel - Application of Thiru.A.Parthasarathi for inclusion of his name in the list of panel Engineers of Perambalur District - Orders - issued.


Ref: 1. Application dated:19.06.2019 from Thiru.A.Parthasarathi Consulting Civil Engineer Perambalur.
2. Superintending Engineer, PWD Buildings (Construction & Maintenance Circle) Trichy, Letter No. F.14/DB/DO/2019 Dated : 28.06.2019

Order

Thiru.A.Parthasarathi residing at V.R.S Complex, 1st Floor, Venkatesapuram, Near State Bank of India, Perambalur is included in the panel of private Registered Engineers of Perambalur District maintained in this office with the approval of the Superintending Engineer as laid down under rule II A of the Tamil Nadu Public Buildings (Licensing) Rules 1966 for the purpose of issuing structural soundness certificates for the Public Buildings under the purview of Tamil Nadu Public Buildings (Licensing) Act, 1965.

2. His name is registered under the category of class 1A Engineer for furnishing Structural Soundness certificates for Public Buildings in Perambalur District.


District Collector,
Perambalur

To.  Thiru. A. Parthasarathi
Consulting Civil Engineer,
V.R.S Complex, 1st Floor,
Venkatesapuram,
Near State Bank of India,
Perambalur

Copy to

1. The Sub Collector, Perambalur.
2. The Tahsildar, Perambalur / Veppanthattai / Kunnam / Alathur
3. Stock File.


PRINCIPAL

St.MARY'S PUBLIC SCHOOL,
AGARAM, V.KALATHUR - 621 117,
PERAMBALUR Dt.


CORRESPONDENT

St.MARY'S PUBLIC SCHOOL,
AGARAM, V.KALATHUR - 621 117,
PERAMBALUR Dt.

Stab.Cer.No.:- 06/2023

FORM- A

BLOCK - I

(Form of application under sub-section (1) sub-section (2) of section 4 of the Madras public buildings (Licensing) Act 1965 (Madras Act 13 of 1965) referred to in Rule 3 of the (Madras public building (Licensing) Rules 1966)

From

The Correspondent,
St. Mary's Public School,
S.F.NO: 18/6,18/7A, 18/1A & 18/1B
Agaram Village, V.Kalathur,
Veppanthattai Taluk,
Perambalur District.

To

The Tahsildar,
Taluk office - Veppanthattai,
Veppanthattai Taluk & Perambalur District.

Sir,


I intend/to use the building/to continue to use the existing public building /to use the existing building not at present used as a public building /which is situated in the site or plot of land . Town or Revenue Survey No: S.F.NO: 18/6,18/7A, 18/1A & 18/1B Street or Road Agaram Village, V.Kalathur in Veppanthattai Taluk the ward or division/Village/taluk /district Perambalur District and specified in the statement enclosed as a public building for period of **Three years** from the **01.04.2023 to 31.03.2026**

2. The year of construction and the present approximate cost of construction and the purpose for which it is to be used or is being used as a public building are also furnished in the statement accompanying this application.

3. I enclose a chalan for Rs.

4. I also enclose a certificate of structural soundness in the prescribed form furnished by the engineer Sri. A .PARTHASARATHY, M.E., F.I.V & Govt Approved Valuer.


Dated the


Signature of the owner of the building

Encloser : (1) Statement

(2) Chalan for Rs.----- towards the application fee.


PRINCIPAL
St.MARY'S PUBLIC SCHOOL,
AGARAM, V.KALATHUR - 621 117.
PERAMBALUR Dt.


CORRESPONDENT
St.MARY'S PUBLIC SCHOOL,
AGARAM, V.KALATHUR - 621 117.
PERAMBALUR Dt.

STATEMENT ACCOMPANYING FORM - A

1. Door Number Of Building : St.Mary's Public School
2. Location (Street Number ,Ward No. Name Of Place , i.e Corporation Municipality /Panchayat /Panchayat Union / Township / Cantonment) : S.F.NO: 18/6,18/7A, 18/1A & 18/1B
Agaram Village, V.Kalathur,
Veppanthattai Taluk,
Perambalur District.
3. Year of Construction : 2017
4. Approximate cost of construction as Per current rate. : Rs. 90.00 Lakhs
5. Purpose for which the building is being Used or proposed to be used. : For Educational purpose
6. Purpose for which the building has Either to be used. : - Do -
7. Details of construction of the building Particular of the foundation soil Specification of the various parts under
- a) Foundation : R.C.C. 1:2:4 Column Foundation
 - b) Basement : Brick work with C.M. 1:5
 - c) Super structure : Brick work with C.M. 1:5
 - d) Floor and roof (are to be given) : Ground Floor, First Floor & Second Floor with Roof slab R.C.C 1:2:4
8. Period for which licence is required : 01.04.2023 to 31.03.2026 (Three Years)
9. Number of people to accommodate : 480 No.of Persons.
10. Date of Inspection : 13.03.2023.

"Certified that no addition or alteration has been made to the existing building or portion of a building for which this application has been made, I undertake to obtain a fresh licence in case any addition or alteration is made to the existing building or portion of building. I also undertake to obtain a fresh licence if the purpose for which the licence was granted for the use of the building or portion of the building originally is changed or altered subsequently."

Dated: 17.03.2023



17/3/2023
Er. A.PARTHASARATHY, M.E., F.I.V.,
Registered Panel of Engineer Class 1A
of Tamil Nadu Government
V.R.S. Complex 1ST Floor,
Near State Bank of India,
Perambalur - 621 212.

[Signature]

Signature of the Owner of the building

[Signature]
PRINCIPAL
St.MARY'S PUBLIC SCHOOL,
AGARAM, V.KALATHUR - 621 117.
PERAMBALUR Dt.

[Signature]
CORRESPONDENT
St.MARY'S PUBLIC SCHOOL,
AGARAM, V.KALATHUR - 621 117.
PERAMBALUR Dt.

FORM-B

From of certificate structural soundness under sub –section (4) of section 4 of the Madras Public Building (Licensing) Act 1965 (Madras Act 13 of 1965) referred to in rule 4 of the Madras Public Building (Licensing) Rules 1965.

I certify that I have Inspected the building mentioned in the statement below and I have satisfied myself that the building is structurally sound to be used as a public building for the purpose noted in the statement . The structural soundness of the building has been verified taking into account the loading as per the latest Indian standards 875.A licence may be granted for the period from the 01.04.2023 to 31.03.2026 inclusive **Three Years**.

Date : 17.03.2023

A.PARTHASARATHY M.E.,F.I.V.,

Statement to Accompany the certificate of Structural Soundness

Location of the Building, i.e (Door No. Street No. and Name of place)	Age of the Building	Purpose for Which the Buildings can be used.	The period for which The building Will be sound	Number of persons to be accommo dated	Remarks
(1)	(2)	(3)	(4)	(5)	(6)
St.Mary's Public School S.F.NO: 18/6,18/7A, 18/1A & 18/1B Agaram Village, V.Kalathur, Veppanthattai Taluk, Perambalur District	2017 & 6 Years	For Educational Purpose	01.04.2023 to 31.03.2026 (Three Years)	480 No. of Persons	The building is structurally sound and safe

Date : 17.03.2023



A.P.
Er. A.PARTHASARATHY, M.E.,F.I.V.,
Registered Panel of Engineer Class 1A
of Tamil Nadu Government
V.R.S. Complex 1ST Floor,
Near State Bank of India,
Perambalur – 621 212.

[Signature]
PRINCIPAL
St.MARY'S PUBLIC SCHOOL,
AGARAM, V.KALATHUR - 621 117.,
PERAMBALUR Dt.

[Signature]
CORRESPONDENT
St.MARY'S PUBLIC SCHOOL,
AGARAM, V.KALATHUR - 621 117.
PERAMBALUR Dt.

FORM- C

Form of opinion under sub-section (1) of section 5 of the Madras Public Building (Licensing) Act 1965 (Madras Act 13 of 1965) referred to in rule 5 of the Madras Public Building (Licensing) Rules 1966.

I have Inspected the building specified in the statement below and I have satisfied myself that the building is structurally sound to be used as a public building for the purpose specified in the statement. The structural soundness of the building has been verified taking into account as per the latest Indian standards 875. I am therefore of the opinion that a Licence may be granted for the period from **01.04.2023 to 31.03.2026** inclusive **Three Years**.

Date :- 17.03.2023

A.PARTHASARATHY, M.E., F.I.V.,

Statement to accompany the opinion regarding Structural Soundness

Location of the Building.i.e (Door No. Street No. and Name of place)	Age of the Building	Purpose for Which the Buildings can be used.	The period for which the building Will be Structurally sound	Number of persons to be accommodated	Remarks
(1)	(2)	(3)	(4)	(5)	(6)
St.Mary's Public School Agaram Village, V.Kalathur, Veppanthattai Taluk, Perambalur District.	2017 & 6 Years	For Educational Purpose	01.04.2023 to 31.03.2026 (Three Years)	480 No. of Persons	The building is structurally sound and safe

Date : 17.03.2023



A. Parthasarathy
Er. A.PARTHASARATHY, M.E., F.I.V.,
Registered Panel of Engineer Class 1A
of Tamil Nadu Government
V.R.S. Complex 1ST Floor,
Near State Bank of India,
Perambalur - 621 212.

[Signature]
PRINCIPAL
St.MARY'S PUBLIC SCHOOL,
AGARAM, V.KALATHUR - 621 117.
PERAMBALUR Dt.

[Signature]
CORRESPONDENT
St.MARY'S PUBLIC SCHOOL,
AGARAM, V.KALATHUR - 621 117.
PERAMBALUR Dt.

FORM-E

(Form of report to be made to the Competent authority by Inspection Authorities of officers appointed under other Acts under section -28 of the Madras Public Building (Licensing) Act 1965 (Madras Act 13 of 1965) referred to in Rule 7 of the Madras Public building (Licensing Rule 1965).

1. Name and designation of inspection authority or officer appointed or having jurisdiction under any other : Er. A.PARTHASARATHY, M.E.,F.I.V
2. Location of the building inspected (Door No, Street, Name of Place cantonment.) : **St.MARY'S PUBLIC SCHOOL**
S.F.NO: 18/6,18/7A, 18/1A & 18/1B
Agaram Village, V.Kalathur,
Veppanthattai Taluk,
Perambalur District.
3. Date of the Inspection : 13.03.2023
4. Purpose for which the building is used : For educational Purpose
5. Nature of defects noticed : No defects
6. Suggestion for rectifying defects : --- Nil---
7. If in a dangerous Condition immediate steps recommended to : --- Nil---

Place: Perambalur

Signature of the Inspection Authority

Dated: 17.03.2023



Er. A. Parthasarathy
17/3/2023
Er. A.PARTHASARATHY, M.E., F.I.V.,
Registered Panel of Engineer Class 1A
of Tamil Nadu Government
V.R.S. Complex 1ST Floor,
Near State Bank of India,
Perambalur - 621 212.

[Signature]
PRINCIPAL
St.MARY'S PUBLIC SCHOOL,
AGARAM, V.KALATHUR - 621 117,
PERAMBALUR Dt.

[Signature]
CORRESPONDENT
St.MARY'S PUBLIC SCHOOL,
AGARAM, V.KALATHUR - 621 117.
PERAMBALUR Dt.

DECLARATION

A. Parthasarathy Son of Arokiyasamy residing at V.R.S Complex ,
1st Floor Venkateshapuram , Near State Bank , Main Branch ,
Perambalur - 621 212 do hereby declare that I possess the
qualification and experience specified in the Table to Rule II of the
Madras public Building (Licensings) Rules 1966 for issuing the
Certificate of structural soundness of the building by the Certificate .

Station : Perambalur

Dated :17.03.2023

Er.A. PARTHASARATHY, M.E., F.I.V

1. Name and Address : **Er.A.PARTHASARATHY**
V.R.S Complex ,1st Floor,
Near State Bank of India ,
Perambalur -621 212
2. Engineering Qualifications : B.E.,M.E., F.I.V
3. Number of Year Experience i) 36 years in Civil Engineering Field
- ii) Govt. Panel Engineer Class - 1A
D. Dis /D1 / 6282/ Dated 21/04/2021
- iii) D.T.C.P Regd.Engineer Grade -1
RE/ PBLR / January -2020/ 095
On 06.02.2020

Remarks :-

i) This certificate does not hold or ensures the responsibility for the stability of the Building Structure due to Natural Calamities like Earthquake , Gale Cyclone , Fire and Tsunami .

ii) The Subsequent addition and alteration of the building Should be done only with prior information to the certifying authority



PRINCIPAL
St.MARY'S PUBLIC SCHOOL,
AGARAM, V.KALATHUR - 621 117.
PERAMBALUR Dt.

(Signature)
Er. A.PARTHASARATHY, M.E., F.I.V
Panel Engineer Class-1A (Structural Stability)
V.R.S. Complex 1st Floor,
Venkatesapuram,
Near State Bank of India,
Perambalur - 621 212.

(Signature)
CORRESPONDENT
St.MARY'S PUBLIC SCHOOL,
AGARAM, V.KALATHUR - 621 117.
PERAMBALUR Dt.

(Form of application under sub-section (1) sub-section (2) of section 4 of the Madras public buildings (Licensing) Act 1965 (Madras Act 13 of 1965) referred to in Rule 3 of the (Madras public building (Licensing) Rules 1966)

From

The Correspondent,
St. Mary's Public School,
S.F.NO: 18/6,18/7A, 18/1A & 18/1B
Agaram Village, V.Kalathur,
Veppanthattai Taluk,
Perambalur District.

To

The Tahsildar,
Taluk office - Veppanthattai
Veppanthattai Taluk & Perambalur District.

Sir,

I intend/to use the building/to continue to use the existing public building /to use the existing building not at present used as a public building /which is situated in the site or plot of land. Town or Revenue Survey No: S.F.NO: 18/6,18/7A, 18/1A & 18/1B Street or Road **Agaram Village, V.Kalathur** in **Veppanthattai Taluk** the ward or division/Village/taluk /district **Perambalur District** and specified in the statement enclosed as a public building for period of **Three years** from the **01.04.2023 to 31.03.2026**

2. The year of construction and the present approximate cost of construction and the purpose for which it is to be used or is being used as a public building are also furnished in the statement accompanying this application.

3. I enclose a chalan for Rs.

4. I also enclose a certificate of structural soundness in the prescribed form furnished by the engineer Sri. A .**PARTHASARATHY, M.E., F.I.V & Govt Approved Valuer.**

Dated the

Signature of the owner of the building

Encloser : (1) Statement

(2) Chalan for Rs.----- towards the application fee.



PRINCIPAL
St.MARY'S PUBLIC SCHOOL,
AGARAM, V.KALATHUR - 621 117.
PERAMBALUR Dt.


CORRESPONDENT
St.MARY'S PUBLIC SCHOOL,
AGARAM, V.KALATHUR - 621 117.
PERAMBALUR Dt.

STATEMENT ACCOMPANYING FORM - A

1. Door Number Of Building : **StMary's Public School**
2. Location (Street Number ,Ward No.
Name Of Place , i.e Corporation : S.F.NO: 18/6,18/7A, 18/1A & 18/1B
Municipality /Panchayat /Panchayat Agaram Village, V.Kalathur,
Union / Township / Cantonment) Veppanthattai Taluk,
Perambalur District.
3. Year of Construction : **2007**
4. Approximate cost of construction as : **Rs. 77.00 Lakhs**
Per current rate.
5. Purpose for which the building is being : For Educational purpose
Used or purposed to be used.
6. Purpose for which the building has :
Either to be used. - Do -
7. Details of construction of the building
Particular of the foundation soil :
Specification of the various parts under :
a) Foundation : Gravel Soil
b) Basement : R.C.C. Column Foundation
c) Super structure : Brick work with C. M.1:5
d) Floor and roof (are to be given) : Brick work with
Ground Floor, First Floor & Second Floor
with Roof Slab 1:2:4
8. Period for which licence is required : **01.04.2023 to 31.03.2026** (Three Years)
9. Number of person to accommodated : 400 No.of Persons
10. Date of Inspection : 13.03.2023.

"Certified that no addition or alteration has been made to the existing building or portion of a building for which this application has been made, I undertake to obtain a fresh licence in case any addition or alteration is made to the existing building or portion of building. I also undertake to obtain a fresh licence if the purpose for which the licence was granted for the use of the building or portion of the building originally is changed or altered subsequently."

Dated: 17.03.2023


Er. A.PARTHASARATHY, M.E., F.I.V.,
Registered Panel of Engineer Class 1A
of Tamil Nadu Government
V.R.S. Complex 1ST Floor,
Near State Bank of India,
Perambalur - 621 212.



Signature of the Owner of the building

PRINCIPAL
St.MARY'S PUBLIC SCHOOL,
AGARAM, V.KALATHUR - 621 117.
PERAMBALUR Dt.

CORRESPONDENT
St.MARY'S PUBLIC SCHOOL,
AGARAM, V.KALATHUR - 621 117.
PERAMBALUR Dt.

FORM-B

From of certificate structural soundness under sub –section (4) of section 4 of the Madras Public Building (Licensing) Act 1965 (Madras Act 13 of 1965) referred to in rule 4 of the Madras Public Building (Licensing) Rules 1965.

I certify that I have Inspected the building mentioned in the statement below and I have satisfied myself that the building is structurally sound to be used as a public building for the purpose noted in the statement . The structural soundness of the building has been verified taking into account the loading as per the latest Indian standards 875.A licence may be granted for the period from 01.04.2023 to 31.03.2026 inclusive **Three Years**.

Date : 17.03.2023

A.PARTHASARATHY M.E.,F.I.V.,

Statement to Accompany the certificate of Structural Soundness

Location of the Building. i.e (Door No. Street No. and Name of place)	Age of the Building	Purpose for Which the Buildings can be used.	The period for which The building Will be sound	Number of persons to be accommo dated	Remarks
(1)	(2)	(3)	(4)	(5)	(6)
St.Mary's Public School S.F.NO: 18/6,18/7A, 18/1A & 18/1B Agaram Village, V.Kalathur, Veppanthattai Taluk, Perambalur District	2007 & 16 Years	For Educational Purpose	01.04.2023 to 31.03.2026 (Three Years)	400 No. of Persons	The building is structurally sound and safe

Date : 17.03.2023



A. Parthasarathy 17/3/2023
Er. A.PARTHASARATHY,M.E.,F.I.V.,
Registered Panel of Engineer Class 1A
of Tamil Nadu Government
V.R.S. Complex 1ST Floor,
Near State Bank of India,
Perambalur – 621 212.

[Signature]
PRINCIPAL
St.MARY'S PUBLIC SCHOOL,
AGARAM, V.KALATHUR - 621 117.
PERAMBALUR Dt.

[Signature]
CORRESPONDENT
St.MARY'S PUBLIC SCHOOL,
AGARAM, V.KALATHUR - 621 117.
PERAMBALUR Dt.

FORM- C

Form of opinion under sub-section (1) of section 5 of the Madras Public Building (Licensing) Act 1965 (Madras Act 13 of 1965) referred to in rule 5 of the Madras Public Building (Licensing) Rules 1966.

I have Inspected the building specified in the statement below and I have satisfied myself that the building is structurally sound to be used as a public building for the purpose specified in the statement. The structural soundness of the building has been verified taking into account as per the latest Indian standards 875. I am therefore of the opinion that a Licence may be granted for the period from **01.04.2023** to **31.03.2026** inclusive **Three Years**.


Date :-17.03.2023

A.PARTHASARATHY, M.E., F.I.V.,


Statement to accompany the opinion regarding Structural Soundness

Location of the Building .i.e (Door No. Street No. and Name of place)	Age of The Building	Purpose for Which the Buildings can be used.	The period for which The building Will be Structurally sound	Number of persons to be accomm odated	Remarks
(1)	(2)	(3)	(4)	(5)	(6)
St.Mary's Public School S.F.NO. 18/6,18/7A, 18/1A & 18/1B Agaram Village, V.Kalathur, Veppanthattai Taluk, Perambalur District.	2007 & 16 Years	For Educational Purpose	01.04.2023 to 31.03.2026 (Three Years)	400 No. of Persons	The building is structurally sound and safe

Date : 17.03.2023


Er. A.PARTHASARATHY, M.E., F.I.V.,
Registered Panel of Engineer Class 1A
of Tamil Nadu Government
V.R.S. Complex 1ST Floor,
Near State Bank of India,
Perambalur - 621 212.




PRINCIPAL
St.MARY'S PUBLIC SCHOOL,
AGARAM, V.KALATHUR - 621 117,
PERAMBALUR Dt.


CORRESPONDENT
St.MARY'S PUBLIC SCHOOL,
AGARAM, V.KALATHUR - 621 117,
PERAMBALUR Dt.

FORM-E

(Form of report to be made to the Competent authority by Inspection Authorities of officers appointed under other Acts under section -28 of the Madras Public Building (Licensing) Act 1965 (Madras Act 13 of 1965) referred to in Rule 7 of the Madras Public building (Licensing Rule 1965).

1. Name and designation of inspection authority or officer appointed or having jurisdiction under any other : Er. A.PARTHASARATHY, M.E., F.I.V

2. Location of the building inspected : **St.Mary's Public School**

(Door No, Street , Name of Place cantonment.)

S.F.NO: 18/6, 18/7A, 18/1A & 18/1B
Agaram Village, V.Kalathur,
Veppanthattai Taluk,
Perambalur District.

3. Date of the Inspection : 13.03.2023

4. Purpose for which the building is used : For educational Purpose

5. Nature of defects noticed : No defects

6. Suggestion for rectifying defects : --- Nil---

7. If in a dangerous Condition immediate steps recommended to : --- Nil---

Place: Perambalur

Signature of the Inspection Authority

Dated: 17.03.2023

Er. A. Parthasarathy
17/3/2023

Er. A.PARTHASARATHY, M.E., F.I.V,
Registered Panel of Engineer Class 1A
of Tamil Nadu Government
V.R.S. Complex IST Floor,
Near State Bank of India,
Perambalur - 621 212.



PRINCIPAL
St.MARY'S PUBLIC SCHOOL,
AGARAM, V.KALATHUR - 621 117.
PERAMBALUR Dt.

D. S. S. S.
CORRESPONDENT
St.MARY'S PUBLIC SCHOOL,
AGARAM, V.KALATHUR - 621 117.
PERAMBALUR Dt.

DECLARATION

A. Parthasarathy Son of Arokiyasamy residing at V.R.S Complex , 1st Floor Venkateshapuram , Near State Bank , Main Branch , Perambalur - 621 212 do hereby declare that I possess the qualification and experience specified in the Table to Rule II of the Madras public Building (Licensings) Rules 1966 for issuing the Certificate of structural soundness of the building by the Certificate .

Station : Perambalur

Dated : 17.03.2023

Er.A. PARTHASARATHY, M.E., F.I.V

1. Name and Address : **Er.A.PARTHASARATHY**
V.R.S Complex , 1st Floor,
Near State Bank of India ,
Perambalur -621 212
2. Engineering Qualifications : B.E.,M.E., F.I.V
3. Number of Year Exprience : i) 36 years in Civil Engineering Field
ii) Govt. Panel Engineer Class - 1A
D. Dis /D1 / 6282/ Dated 21/04/2021
iii) D.T.C.P Regd.Engineer Grade -1
RE/ PBLR / January -2020/ 095
On 06.02.2020

Remarks :-

i) This certificate does not hold or ensures the responsibility for the stability of the Building Structure due to Natural Calamities like EarthQuake , Gale Cyclone , Fire and Tsunami .

ii) The Subsequent addition and alteration of the building Should be done only with prior information to the certifying authority



PRINCIPAL
St.MARY'S PUBLIC SCHOOL,
AGARAM, V.KALATHUR - 621 117.
PERAMBALUR Dt.

17/3/2023
Er. A. PARTHASARATHY, M.E., F.I.V
Panel Engineer Class-1A (Structural Stability)
V.R.S. Complex 1st Floor,
Venkatesapuram,
Near State Bank of India,
Perambalur - 621 212

CORRESPONDENT
St.MARY'S PUBLIC SCHOOL,
AGARAM, V.KALATHUR - 621 117.
PERAMBALUR Dt.

K.dis: A4/792/2023
Dated : 15 .02.2023.

Taluk office ,
Veppanthattai.

FORM - D

Form of license under sub-section(I) of section 6 of the Madras Public Buildings (licensing) Act 1965 (Madras Act 13 to 1965 referred to in rule 6 of the Madras Public Building licensing Rules 1966.

LICENSE

LICENSE NO. 08/2023

License Fees Rs. 1000/- only
Paid on date :07.02.2023.

License is hereby granted to the Correspondent, St.Mary's Public School, Agaram Village ,V.Kalathur (Po) , Veppanthattai (TK), Perambalur (DT) to use as a public Buildings and Toilet for the purpose and the respect of the buildings specified in the statement below and subject to the conditions and for the period mentioned here under.

The period of Validity of the License shall be from 01.04.2023 to the end of 31.03.2026 (Inclusive)

The School building is situated in SF.No.18/6, Agaram Village ,V.Kalathur (Po) ,Veppanthattai Taluk, Perambalur District.

STATEMENT OF ACCOMPANY LICENSE

Location of the building (Door No. St. No.and Name of the place)	Purpose for which the building is licensed to be used as public building	No. of persons to be accommodated
The Correspondent, St.Mary's Public School, Agaram Village , V.Kalathur (Po), Veppanthattai (TK), Perambalur (DT).	Educational Purpose	880 Nos

*Round Seal having words of
I am class Magistrate / Tahsildar
veppanthattai*

Place: Veppanthattai
Date:15.02.2023.
TO.

The Correspondent,
St.Mary's Public School,
Agaram Village ,V.Kalathur (Po),
Veppanthattai (TK),
Perambalur (DT).

PRINCIPAL
St.MARY'S PUBLIC SCHOOL,
AGARAM, V.KALATHUR - 621 117.
PERAMBALUR Dt.



15/2/2023
Tahsildar,
Veppanthattai.
M. SULTAN SYED IBRAHIM,
M.A.,B.L.,D.L.L.,
Advocate / Notary Public
78, P.T.R. Main Road, N.R.T. Nagar
THENI (DT.)-625 831, Cell: 9942199220

CORRESPONDENT
St.MARY'S PUBLIC SCHOOL,
AGARAM, V.KALATHUR - 621 117.
PERAMBALUR Dt.